

MODELE NAMIE
CRUE DECENNALE

POINT	PK (Km)	DEBIT (m3/s)	NIVEAU (m)	VITESSE (m/s)	CHARGE (m)
P1c	-0.545	19.00	47.38	2.49	47.69
P1b	-0.375	24.00	40.03	2.79	40.43
P1a	-0.200	24.00	34.96	2.12	35.19
P1	0.000	30.00	29.77	2.22	30.02
P2	0.365	30.00	22.56	2.55	22.89
O1am	0.475	30.00	20.80	2.41	21.10
O1	0.477	30.00	20.68	2.80	21.08
O1av	0.480	30.00	20.46	3.35	21.04
Inj1	0.645	51.00	17.78	3.02	18.24
P5	0.730	51.00	17.32	1.11	17.39
O2	0.732	51.00	17.32	1.11	17.39
O2av	0.735	51.00	16.98	2.24	17.23
Inj2	0.850	54.00	15.09	1.99	15.29
P8	0.990	54.00	13.71	1.67	13.85
Inj3	1.080	56.00	12.09	2.71	12.46
Inj4	1.230	58.00	10.63	2.84	11.05
P11	1.360	58.00	9.35	1.19	9.42
O3	1.362	58.00	9.34	1.20	9.41
O3av	1.365	58.00	9.24	1.52	9.36
Inj6	1.570	63.00	7.02	1.98	7.22
P14	1.620	63.00	6.52	1.91	6.70
O4am	1.775	70.00	5.66	0.99	5.71
O4	1.777	70.00	5.66	0.99	5.71
P15	1.780	70.00	5.18	2.43	5.49
O5am	1.980	70.00	3.97	1.61	4.10
O5	1.982	70.00	3.96	1.66	4.10
O5av	1.985	70.00	3.90	1.91	4.09
P16	2.090	76.00	2.40	0.88	2.44
O6am	2.490	76.00	1.42	0.69	1.44
O6	2.492	76.00	1.41	0.70	1.44
O6av	2.495	76.00	1.41	0.69	1.43
P17	2.500	76.00	1.40	0.70	1.43