

MODELE NAMIE
CRUE CENTENNALE

POINT	PK (Km)	DEBIT (m3/s)	NIVEAU (m)	VITESSE (m/s)	CHARGE (m)
P1c	-0.545	33.00	47.71	2.59	48.05
P1b	-0.375	41.00	40.43	2.95	40.88
P1a	-0.200	41.00	35.16	2.53	35.49
P1	0.000	52.00	30.09	2.28	30.36
P2	0.365	52.00	22.88	2.84	23.29
O1am	0.475	52.00	21.38	2.31	21.65
O1	0.477	52.00	21.35	2.36	21.63
O1av	0.480	52.00	21.07	3.06	21.55
Inj1	0.645	88.00	18.24	2.16	18.48
P5	0.730	88.00	17.69	1.10	17.76
O2	0.732	88.00	17.69	1.10	17.75
O2av	0.735	88.00	17.26	2.21	17.51
Inj2	0.850	93.00	15.27	2.36	15.55
P8	0.990	93.00	13.83	1.94	14.02
Inj3	1.080	96.00	12.41	3.23	12.94
Inj4	1.230	99.00	10.99	3.39	11.57
P11	1.360	99.00	9.63	1.28	9.71
O3	1.362	99.00	9.62	1.29	9.71
O3av	1.365	99.00	9.44	1.70	9.59
Inj6	1.570	109.00	7.19	2.32	7.47
P14	1.620	109.00	6.68	2.22	6.93
O4am	1.775	122.00	5.74	1.53	5.86
O4	1.777	122.00	5.73	1.54	5.85
P15	1.780	122.00	5.53	2.38	5.82
O5am	1.980	122.00	4.17	1.90	4.35
O5	1.982	122.00	4.15	1.96	4.34
O5av	1.985	122.00	4.07	2.26	4.33
P16	2.090	131.00	2.84	0.97	2.89
O6am	2.490	131.00	1.46	1.14	1.52
O6	2.492	131.00	1.44	1.18	1.51
O6av	2.495	131.00	1.43	1.17	1.50
P17	2.500	131.00	1.40	1.21	1.47