

MODELE VALLON DORE NORD
CRUE DECENNALE

POINT	PK (Km)	DEBIT (m3/s)	NIVEAU (m)	VITESSE (m/s)	CHARGE (m)
P1b	-0.240	8.00	48.73	1.20	48.80
P1a	-0.120	8.00	35.26	1.67	35.40
O1am	0.000	17.00	26.61	0.31	26.62
O1	0.002	17.00	26.61	0.31	26.62
P1	0.005	17.00	24.90	2.66	25.26
P2	0.105	17.00	21.69	0.84	21.72
O2	0.107	17.00	21.66	0.88	21.70
O2av	0.110	17.00	21.66	0.88	21.70
Inj1	0.112	24.00	21.48	1.88	21.66
P3	0.340	24.00	12.28	1.88	12.46
4	0.430	24.00	10.62	1.65	10.76
3	0.540	24.00	9.03	0.91	9.07
Inj2	0.542	30.00	8.93	1.51	9.04
2	0.665	30.00	6.77	1.20	6.84
1	0.765	30.00	6.19	0.67	6.22
P4	0.840	30.00	5.87	0.73	5.89
O3	0.842	30.00	5.86	0.74	5.88
O3av	0.845	30.00	4.80	1.60	4.93
Inj3	1.070	36.00	2.40	0.38	2.41
Aval	1.370	36.00	1.40	0.17	1.40

POINT	PK (Km)	DEBIT (m3/s)	NIVEAU (m)	VITESSE (m/s)	CHARGE (m)
P1b	-0.240	14.00	48.90	1.38	49.00
P1a	-0.120	14.00	35.44	1.91	35.62
O1am	0.000	30.00	26.89	0.46	26.90
O1	0.002	30.00	26.89	0.46	26.90
P1	0.005	30.00	25.29	2.73	25.67
P2	0.105	30.00	21.93	1.00	21.98
O2	0.107	30.00	21.90	1.04	21.96
O2av	0.110	41.00	21.50	2.25	21.76
P3	0.340	41.00	12.62	2.00	12.83
4	0.430	41.00	10.87	1.95	11.06
3	0.540	52.00	9.20	1.63	9.34
2	0.665	52.00	7.17	1.32	7.26
1	0.765	52.00	6.55	0.76	6.58
P4	0.840	52.00	5.86	1.27	5.94
O3	0.842	52.00	5.83	1.31	5.92
O3av	0.845	52.00	5.01	1.30	5.10
Inj3	1.070	63.00	2.50	0.48	3.41
Aval	1.370	63.00	1.40	0.30	1.40