

Q100					
Profil	Hauteur d'eau (m)	Débit (m3/s)	Froude	Niveau (m NGNC)	Vitesse (m/s)
8	2.11	35.00	1.07	29.97	4.42
8-0-7	1.87	27.32	0.97	28.55	3.64
8-1-7	1.78	23.29	0.85	27.29	3.04
8-2-7	1.82	24.77	0.83	26.16	2.91
8-3-7	1.91	26.78	0.81	25.07	2.76
8-4-7	1.84	29.23	0.86	23.83	3.00
7	1.84	29.84	0.85	22.65	2.92
7-0-6.9	1.84	28.03	0.82	22.05	2.74
7-1-6.9	2.01	28.78	0.74	21.63	2.46
6.9	2.55	23.77	0.68	21.57	1.67
6.8	1.81	23.77	0.72	20.57	2.27
6.8-0-6.7	1.77	27.57	0.79	19.91	2.70
6.8-1-6.7	1.78	26.63	0.78	19.30	2.64
6.8-2-6.7	1.89	27.34	0.73	18.79	2.53
6.7	2.07	26.65	0.61	18.35	2.20
6.6	2.08	43.16	0.93	18.35	3.49
6.6-0-5.9	2.21	41.86	0.85	17.88	3.12
6.6-1-5.9	2.42	41.12	0.83	17.48	2.69
5.9	2.81	44.07	0.99	17.27	2.60
5.8	2.23	44.07	1.10	16.63	4.32
5.8-0-5	2.35	49.42	1.09	16.25	4.65
5.8-1-5	2.45	51.13	1.08	15.86	4.77
5.8-2-5	2.56	51.80	1.08	15.48	4.78
5.8-3-5	2.65	60.00	1.16	15.07	5.54
5.8-4-5	2.64	60.98	1.22	14.57	5.88
5	2.61	54.93	1.18	14.04	5.62
5-0-4	2.56	53.70	1.19	13.59	5.63
5-1-4	2.50	56.29	1.30	13.13	6.08
5-2-4	2.40	48.29	1.20	12.62	5.50
5-3-4	2.33	41.40	1.09	12.15	4.89
5-4-4	2.32	44.53	1.18	11.74	5.30
5-5-4	2.28	38.67	1.06	11.29	4.72
5-6-4	2.28	38.07	1.06	10.89	4.67
5-7-4	2.27	38.21	1.06	10.48	4.72
5-8-4	2.27	38.08	1.06	10.08	4.72
5-9-4	2.30	35.68	1.03	9.72	4.39
4	2.47	32.60	1.93	9.48	3.74
3.95.5	2.63	31.16	0.82	9.53	3.41
3.90	2.23	31.16	1.02	9.08	4.15
3.90-0-3	2.29	32.52	1.02	8.84	4.13
3.90-1-3	2.28	39.69	1.07	8.53	4.82
3.90-2-3	2.23	39.34	1.09	8.19	4.85
3.90-3-3	2.19	38.18	1.10	7.84	4.77
3.90-4-3	2.18	36.85	1.08	7.54	4.57
3.90-5-3	2.20	38.31	1.08	7.26	4.65
3.90-6-3	2.21	41.43	1.13	6.97	4.94
3.90-7-3	2.22	41.21	1.11	6.69	4.82

3	2.28	39.53	1.04	6.45	4.44
3-0-2.1	2.31	38.79	1.02	6.14	3.88
3-1-2.1	2.39	43.17	1.98	5.88	3.61
2.1	2.59	45.73	0.90	5.75	3.15
2	2.19	45.73	1.05	5.04	4.14
2-0-1.2	2.15	51.13	1.06	4.58	4.15
2-1-1.2	2.14	52.83	1.00	4.15	3.82
1.2	2.27	52.86	0.81	3.85	3.16
1.1	2.38	52.86	0.68	3.56	2.67
1	2.42	44.84	0.50	3.04	1.96
1-0-0.5	2.34	37.54	0.45	2.78	1.72
1-1-0.5	2.28	33.33	0.42	2.54	1.59
1-2-0.5	2.24	30.04	0.39	2.32	1.47
1-3-0.5	2.21	28.07	0.38	2.11	1.41
1-4-0.5	2.22	26.83	0.37	1.94	1.37
0.5	2.18	27.28	0.38	1.72	1.40
0.2	2.19	27.28	0.38	1.43	1.39
0.1	2.17	27.22	0.38	1.40	1.40

Q10					
Profil	Hauteur d'eau (m)	Débit (m3/s)	Froude	Niveau (m NGNC)	Vitesse (m/s)
8	1.65	18.90	0.91	29.51	3.23
8-0-7	1.57	17.01	0.85	28.26	2.84
8-1-7	1.57	16.87	0.81	27.08	2.64
8-2-7	1.55	17.27	0.80	25.89	2.56
8-3-7	1.60	18.24	0.81	24.76	2.50
8-4-7	1.58	19.83	0.82	23.56	2.58
7	1.59	19.93	0.79	22.40	2.46
7-0-6.9	1.58	19.92	0.78	21.80	2.44
7-1-6.9	1.69	19.56	0.75	21.30	2.14
6.9	2.18	17.71	0.68	21.20	1.67
6.8	1.49	17.71	0.71	20.25	2.23
6.8-0-6.7	1.53	18.71	0.72	19.67	2.28
6.8-1-6.7	1.55	18.89	0.73	19.07	2.30
6.8-2-6.7	1.60	19.01	0.72	18.50	2.27
6.7	1.77	18.33	0.58	18.05	1.91
6.6	1.78	28.06	0.87	18.05	2.88
6.6-0-5.9	1.87	28.09	0.85	17.54	2.75
6.6-1-5.9	2.03	29.31	0.83	17.10	2.57
5.9	2.28	33.64	0.99	16.74	2.60
5.8	1.77	33.64	1.10	16.17	4.18
5.8-0-5	1.85	33.64	1.09	15.75	4.16
5.8-1-5	1.94	33.66	1.08	15.35	4.12
5.8-2-5	2.04	33.95	1.07	14.96	4.06
5.8-3-5	2.14	38.19	1.07	14.56	4.50
5.8-4-5	2.16	39.50	1.12	14.08	4.80
5	2.15	37.31	1.11	13.58	4.75
5-0-4	2.12	36.39	1.11	13.15	4.72
5-1-4	2.11	36.24	1.12	12.73	4.76
5-2-4	2.09	34.38	1.08	12.32	4.57
5-3-4	2.08	32.95	1.06	11.90	4.43
5-4-4	2.08	33.85	1.07	11.50	4.55
5-5-4	2.07	32.22	1.06	11.09	4.38
5-6-4	2.08	32.33	1.05	10.69	4.39
5-7-4	2.08	32.13	1.05	10.30	4.37
5-8-4	2.09	32.19	1.04	9.90	4.37
5-9-4	2.12	31.11	1.03	9.53	4.17
4	2.26	28.88	1.94	9.27	3.64
3.95.5	2.38	28.52	0.82	9.28	3.41
3.90	2.00	28.52	1.02	8.85	4.11
3.90-0-3	2.02	28.51	1.03	8.57	4.11
3.90-1-3	2.02	30.24	1.04	8.27	4.20
3.90-2-3	2.00	30.97	1.05	7.96	4.30
3.90-3-3	1.98	31.11	1.05	7.64	4.34
3.90-4-3	1.96	30.92	1.06	7.32	4.33
3.90-5-3	1.94	30.74	1.07	7.00	4.31
3.90-6-3	1.93	31.24	1.08	6.70	4.35
3.90-7-3	1.93	31.31	1.08	6.40	4.31

3	1.97	30.64	1.04	6.14	4.11
3-0-2.1	1.95	30.56	1.03	5.78	3.83
3-1-2.1	2.04	32.22	2.38	5.54	3.52
2.1	2.17	36.38	0.89	5.33	3.07
2	1.89	36.38	1.04	4.74	3.97
2-0-1.2	1.83	37.52	1.05	4.26	3.80
2-1-1.2	1.82	37.84	0.99	3.83	3.45
1.2	1.96	37.99	0.80	3.55	2.81
1.1	2.19	37.98	0.58	3.37	2.17
1	2.32	35.83	0.44	2.94	1.67
1-0-0.5	2.27	31.85	0.40	2.71	1.53
1-1-0.5	2.23	29.49	0.39	2.49	1.46
1-2-0.5	2.20	27.69	0.38	2.28	1.40
1-3-0.5	2.17	26.76	0.37	2.07	1.38
1-4-0.5	2.12	26.55	0.39	1.84	1.42
0.5	2.02	26.55	0.43	1.56	1.53
0.2	1.91	26.55	0.48	1.15	1.67
0.1	1.87	26.55	0.51	1.10	1.73

Q5					
Profil	Hauteur d'eau (m)	Débit (m3/s)	Froude	Niveau (m NGNC)	Vitesse (m/s)
8	1.50	13.65	0.80	29.36	2.66
8-0-7	1.47	13.60	0.78	28.16	2.50
8-1-7	1.44	13.89	0.79	26.95	2.46
8-2-7	1.40	14.00	0.79	25.74	2.41
8-3-7	1.38	14.09	0.80	24.54	2.38
8-4-7	1.35	14.21	0.80	23.34	2.35
7	1.36	14.27	0.77	22.17	2.24
7-0-6.9	1.36	14.29	0.76	21.57	2.22
7-1-6.9	1.46	14.29	0.75	21.08	2.06
6.9	1.89	14.26	0.68	20.91	1.69
6.8	1.30	14.26	0.71	20.06	2.14
6.8-0-6.7	1.34	14.38	0.71	19.48	2.14
6.8-1-6.7	1.37	14.40	0.71	18.89	2.13
6.8-2-6.7	1.42	14.49	0.69	18.32	2.08
6.7	1.61	14.52	0.56	17.89	1.76
6.6	1.62	22.24	0.85	17.89	2.66
6.6-0-5.9	1.64	22.52	0.85	17.31	2.67
6.6-1-5.9	1.72	22.86	0.83	16.78	2.54
5.9	1.86	25.72	0.99	16.32	2.62
5.8	1.48	25.72	1.11	15.88	3.90
5.8-0-5	1.54	25.72	1.10	15.45	3.89
5.8-1-5	1.62	25.71	1.09	15.03	3.86
5.8-2-5	1.73	25.76	1.08	14.65	3.80
5.8-3-5	1.85	28.10	1.07	14.27	3.92
5.8-4-5	1.91	30.14	1.07	13.83	4.22
5	1.93	29.81	1.08	13.36	4.30
5-0-4	1.93	29.44	1.08	12.95	4.28
5-1-4	1.92	28.84	1.07	12.55	4.21
5-2-4	1.93	28.56	1.07	12.16	4.16
5-3-4	1.94	28.56	1.07	11.77	4.15
5-4-4	1.95	28.87	1.06	11.37	4.18
5-5-4	1.96	28.74	1.06	10.98	4.16
5-6-4	1.97	28.94	1.06	10.58	4.18
5-7-4	1.97	28.90	1.05	10.19	4.17
5-8-4	1.99	28.63	1.04	9.80	4.11
5-9-4	2.02	28.34	1.03	9.44	4.00
4	2.14	27.24	1.93	9.15	3.62
3.95.5	2.25	27.10	0.82	9.15	3.39
3.90	1.90	27.10	1.02	8.75	4.09
3.90-0-3	1.89	27.10	1.03	8.44	4.09
3.90-1-3	1.88	27.28	1.04	8.14	4.10
3.90-2-3	1.87	27.48	1.05	7.82	4.14
3.90-3-3	1.85	27.50	1.05	7.51	4.15
3.90-4-3	1.83	27.50	1.06	7.19	4.15
3.90-5-3	1.82	27.51	1.06	6.88	4.14
3.90-6-3	1.81	27.55	1.06	6.58	4.13
3.90-7-3	1.81	27.60	1.06	6.28	4.10

3	1.82	27.41	1.04	5.99	4.00
3-0-2.1	1.74	27.44	1.02	5.57	3.79
3-1-2.1	1.76	27.60	1.94	5.25	3.48
2.1	1.86	29.57	0.89	5.02	3.00
2	1.68	29.57	1.03	4.53	3.73
2-0-1.2	1.62	29.63	1.03	4.05	3.53
2-1-1.2	1.62	29.64	0.98	3.62	3.22
1.2	1.76	29.67	0.81	3.34	2.59
1.1	2.03	29.65	0.53	3.21	1.91
1	2.24	29.32	0.38	2.86	1.44
1-0-0.5	2.21	27.68	0.37	2.65	1.39
1-1-0.5	2.19	26.65	0.37	2.45	1.36
1-2-0.5	2.17	25.86	0.37	2.25	1.34
1-3-0.5	2.14	25.57	0.37	2.04	1.35
1-4-0.5	2.09	25.56	0.39	1.81	1.40
0.5	1.99	25.56	0.43	1.53	1.51
0.2	1.91	25.56	0.47	1.15	1.61
0.1	1.87	25.56	0.49	1.10	1.66